
## IN THE CLAIMS:

- (Currently Amended) A silicone-based pressure-sensitive adhesive comprising:
- (A) a product of partial condensation of constituents (a) and (b) or a mixture of constituents
- (a) and (b), where constituent (a) is a crude rubber-like organopolysiloxane having an average of at least one alkenyl group per molecule, and constituent (b) is an organopolysiloxane resin consisting essentially of R<sup>1</sup><sub>3</sub>SiO<sub>1/2</sub> units where R<sup>1</sup> is a substituted or unsubstituted univalent hydrocarbon group, and SiO<sub>4/2</sub> units, and where the mole ratio of
- $R_{3}^{1}SiO_{1/2}$  units to  $SiO_{4/2}$  is in the range of 0.5 to 1.5;
- (B) an organopolysiloxane having an average of at least two silicon-bonded hydrogen atoms per molecule, where the silicon-bonded hydrogen atoms are present in an amount of 0.5 to 150.0 moles per one mole of alkenyl groups in component (A);
- (C) an aromatic amine compound and an organopolysiloxane containing aromatic amino groups, in an amount of 0.001 to 10 parts by weight for each 100 parts by weight of component (A); and
- (D) a platinum catalyst in an amount sufficient to cure the adhesion.
- (Previously Presented) A silicone-based pressure-sensitive adhesive according to
   Claim 1 in which the aromatic amine compound of component (C) has a general formula:



U.S.S.N. 10/560,370

where each R<sup>2</sup> group is H, OH, or a univalent hydrocarbon group; and a is an integer equal to at least one.

- (Cancelled).
- (Previously Presented) A silicone-based pressure-sensitive adhesive according to Claim 1 further comprising at least one curing reaction adjuster.
- (Previously Presented) A silicone-based pressure-sensitive adhesive according to Claim 1 further comprising at least one solvent for components (A) through (D).
- 6. (Original) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressuresensitive adhesive according to Claim 1.
- (Cancelled).
- 8. (Cancelled).
- (Currently Amended) A silicone-based pressure-sensitive adhesive according to
   Claim [[7]] wherein the organopolysiloxane of component (C) has a general formula:

$$R^{3}-X$$
 $R^{4}$ 
 $R^{5}$ 
 $R^{4}$ 

where  $R^3$  is a substituted or unsubstituted univalent hydrocarbon group or an aromatic amino group;  $R^4$  is a substituted or unsubstituted univalent hydrocarbon group;  $R^5$  is an aromatic amino group; X is a single bond, an oxygen atom, an alkylene group, or an alkyleneoxy group; X is a positive number, X is an aromatic amino group.

- (Currently Amended) A silicone-based pressure-sensitive adhesive according to
   Claim [[7]]2 further comprising at least one curing reaction adjuster.
- (Currently Amended) A silicone-based pressure-sensitive adhesive according to
   Claim [[7]]<sup>2</sup> further comprising at least one solvent for components (A) through (D).
- 12. (Currently Amended) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim [[7]]2.

Please add the following new claims:

13. (New) A silicone-based pressure-sensitive adhesive according to Claim 2 wherein the organopolysiloxane of component (C) has a general formula:

$$R^{3}-X$$
 $R^{4}$ 
 $R^{4}$ 
 $R^{4}$ 
 $R^{5}$ 
 $R^{4}$ 
 $R^{4}$ 
 $R^{5}$ 
 $R^{4}$ 

where  $R^3$  is a substituted or unsubstituted univalent hydrocarbon group or an aromatic amino group;  $R^4$  is a substituted or unsubstituted univalent hydrocarbon group;  $R^5$  is an aromatic amino group; X is a single bond, an oxygen atom, an alkylene group, or an alkyleneoxy group; X is a positive number, X is a positive number; X is a positive number, X is zero, at least one of the X is an aromatic amino group.

- 14. (New) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim 13.
- (New) A silicone-based pressure-sensitive adhesive according to Claim 4 wherein the organopolysiloxane of component (C) has a general formula:

U.S.S.N. 10/560.370

$$R^{3} - X - \begin{pmatrix} R^{4} \\ -SiO \\ R^{4} \end{pmatrix} \begin{pmatrix} R^{4} \\ -SiO \\ X \\ -S^{5} \end{pmatrix} \begin{pmatrix} R^{4} \\ -SiO \\ -SiO \\ -SiO \end{pmatrix}$$

where  $R^3$  is a substituted or unsubstituted univalent hydrocarbon group or an aromatic amino group;  $R^4$  is a substituted or unsubstituted univalent hydrocarbon group;  $R^5$  is an aromatic amino group; X is a single bond, an oxygen atom, an alkylene group, or an alkyleneoxy group; X is a positive number, X is an aromatic amino group.

- 16. (New) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim 15.
- 17. (New) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim 4.


- 18. (New) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim 5.
- 19. (New) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim 9.
- (New) A silicone-based pressure-sensitive adhesive according to Claim 10 wherein the organopolysiloxane of component (C) has a general formula:

where  $R^3$  is a substituted or unsubstituted univalent hydrocarbon group;  $R^5$  is an aromatic amino group;  $R^4$  is a substituted or unsubstituted univalent hydrocarbon group;  $R^5$  is an aromatic amino group; X is a single bond, an oxygen atom, an alkylene group, or an alkyleneoxy group; M is a positive number, M is zero or a positive number; provided that when M is zero, at least one of the M groups is an aromatic amino group.

21. (New) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim 20.

## 22. (New) A silicone-based pressure-sensitive adhesive comprising:

- (A) a product of partial condensation of constituents (a) and (b) or a mixture of constituents
- (a) and (b), where constituent (a) is a crude rubber-like organopolysiloxane having an average of at least one alkenyl group per molecule, and constituent (b) is an organopolysiloxane resin consisting essentially of  $R^1_3SiO_{1/2}$  units where  $R^1$  is a substituted or unsubstituted univalent hydrocarbon group, and  $SiO_{4/2}$  units, and where the mole ratio of  $R^1_3SiO_{1/2}$  units to  $SiO_{4/2}$  is in the range of 0.5 to 1.5:
- (B) an organopolysiloxane having an average of at least two silicon-bonded hydrogen atoms per molecule, where the silicon-bonded hydrogen atoms are present in an amount of 0.5 to 150.0 moles per one mole of alkenyl groups in component (A);
- (C) an aromatic amine compound having a general formula:



where each R<sup>2</sup> group is H, OH, or a univalent hydrocarbon group; and a is an integer equal to at least one, and an organopolysiloxane containing aromatic amino groups and having a general formula:

U.S.S.N. 10/560.370

$$R^{3} - X - \begin{pmatrix} R^{4} \\ -SiO \\ R^{4} \end{pmatrix} \begin{pmatrix} R^{4} \\ -SiO \\ X \\ -S^{5} \end{pmatrix} \begin{pmatrix} R^{4} \\ -SiO \\ -SiO \\ -SiO \end{pmatrix}$$

where R<sup>3</sup> is a substituted or unsubstituted univalent hydrocarbon group or an aromatic amino group; R<sup>4</sup> is a substituted or unsubstituted univalent hydrocarbon group; R<sup>5</sup> is an aromatic amino group; X is a single bond, an oxygen atom, an alkylene group, or an alkyleneoxy group; m is a positive number, n is zero or a positive number; provided that when n is zero, at least one of the R<sup>3</sup> groups is an aromatic amino group, wherein component (C) is present in an amount of 0.001 to 10 parts by weight for each 100 parts by weight of component (A); and

- (D) a platinum catalyst in an amount sufficient to cure the adhesion, said adhesive further comprising at least one curing reaction adjuster and at least one solvent for components (A) through (D).
- 23. (New) An adhesive tape comprising a support film and a pressure-sensitive adhesive layer in which the adhesive layer is formed by curing a silicone-based pressure-sensitive adhesive according to Claim 22.